




检测报告

迅捷检字[2025]X031 号




2025年1月15日

湖北迅捷检测有限公司

湖北迅捷

湖北迅捷



一、

二、

三、

四、

五、

六、

七、

八、

九、

十、

十一、


十二、

十三、

十四、

十五、

十六、



检测报告

[illegible]

John Green, author of *The Fault in Our Stars*



进健检测

环境检测 工程检测 司法鉴定

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

05-10

总挥发性有机物 (TVOC)	mg/m ³	0.340	0.0457	0.050	0.050	1.0
氨	mg/m ³	0.03	0.02	0.01	0.05	1.5
硫化氢	mg/m ³	0.002	0.002	0.001	0.003	0.06
臭气浓度	无量纲	15	13	12	15	20
总悬浮颗粒物 (TSP)	mg/m ³	0.246	0.247	0.250	0.238	1.0
二氧化硫	mg/m ³	0.04	0.04	0.04	0.04	1.0
硫化氢	mg/m ³	0.003	0.002	0.001	0.001	0.03
臭气浓度	无量纲	15	17	12	11	20
非甲烷总烃	mg/m ³	0.002	0.002	0.002	0.002	0.00
臭气浓度	无量纲	11	13	14	15	20

《室内空气质量标准》(GB 16297-1996)表2中规定的限值
《室内空气质量标准》(GB 16297-1996)表2中规定的限值

由委托方提供;ND表示低于方法检出限,下同。

质量控制

公司采取以下措施,确保检测结果的准确性和可靠性:



2、 供應區館址及利用情形

Figure 1: Schematic representation of the experimental design. The figure is divided into two main sections: 'Pretest' and 'Main Experiment'. The 'Pretest' section includes 'Pretest 1' (a 2x2 factorial design with 'Condition' and 'Stimulus' factors) and 'Pretest 2' (a 2x2 factorial design with 'Condition' and 'Stimulus' factors). The 'Main Experiment' section includes 'Main Experiment 1' (a 2x2 factorial design with 'Condition' and 'Stimulus' factors) and 'Main Experiment 2' (a 2x2 factorial design with 'Condition' and 'Stimulus' factors). Each section shows a flow from 'Stimulus' to 'Condition' to 'Response'.

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The *Agrobacterium* strains were grown in YEA medium for 24 h at 28 °C. The cell concentration of the strains was adjusted to 10⁸ cells/ml. The cell suspension was mixed with the plant tissue and the transformation efficiency was determined. The results were expressed as the mean ± SD of three independent experiments. The different letters indicate significant differences ($P < 0.05$) according to the Duncan's multiple range test.

Year	num. pub.
1990	1
1991	1
1992	1
1993	1
1994	1
1995	1
1996	1
1997	1
1998	1
1999	1
2000	2
2001	2
2002	2
2003	2
2004	2
2005	2
2006	2
2007	2
2008	2
2009	2
2010	2
2011	2
2012	2
2013	2
2014	2
2015	2
2016	2
2017	2
2018	2
2019	2

行。公司自成立以來，除依法繳納各項稅款外，依法履行社會責任，依法保障員工合法權益，依法保障債權人合法權益，依法保障消費者合法權益。

表 7 检测项目分析方法 方法依据一监表



