



ZAT1200008



湖北迅捷检测有限公司

检测报告

湖北迅捷检测有限公司

湖北迅捷


湖北迅捷检测有限公司
2025年4月11日

湖北迅捷检测有限公司

委托检测

2025年4月11日

湖北迅捷检测有限公司




湖北迅捷检测有限公司

湖北迅捷检测有限公司
检测报告



Abstract





检测报告

01

12

01.02

01.02

01.02

01.02

01.02

检测项目

1. 检测项目: 水质检测

2. 检测项目: 水质检测

3. 检测项目: 水质检测

4. 检测项目: 水质检测

5. 检测项目: 水质检测

检测项目

01.02

检测项目: 水质检测

检测项目: 水质检测

01.02

01.02

检测项目

01.02

检测项目: 水质检测

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

二、检测项目

水质检测项目

检测项目: 水质检测

01.02

01.02

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

检测项目: 水质检测

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02

01.02



新疆捷检

报告编号: 捷捷检字[2023]X365号

三、理化指标

总磷	mg/L	0.292	0.128	0.123	0.545	3	合格
总汞	mg/L	ND	ND	ND	ND	0.001	合格
六价铬	mg/L	ND	ND	ND	ND	0.05	合格

总砷 mg/L 5.00

注: 1. 垃圾渗滤液排放口废水执行《城市污水水质标准》(GB 18918-2002)表1中一级标准。

1. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

2. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

3. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

4. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

5. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

6. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

7. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

8. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

9. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

10. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。


11. 本检测项目符合《城市污水水质标准》(GB 18918-2002)表1中一级标准。

检测项目	检测结果	标准限值	判定结果
总磷	0.292	0.128	合格
总汞	ND	0.001	合格
六价铬	ND	0.05	合格



报告编号: 迅捷检字[2025]X3837号

Abstract—The purpose of this study was to determine whether there were differences in the prevalence of musculoskeletal disorders among different types of workers in the garment industry. The study included 600 employees from two garment factories in Mexico City. Data were collected by means of a self-administered questionnaire. Results showed that the prevalence of musculoskeletal disorders was higher among female than male workers. The prevalence of musculoskeletal disorders was also higher among workers who had been employed longer than those who had been employed less than one year. The prevalence of musculoskeletal disorders was also higher among workers who worked longer hours than those who worked shorter hours. The prevalence of musculoskeletal disorders was also higher among workers who worked in the same position for longer than those who worked in the same position for less than one year. The prevalence of musculoskeletal disorders was also higher among workers who worked in the same position for longer than those who worked in the same position for less than one year.



报告编号: 迅捷检字[2023]X3832号

四、检测项目分析方法、主要仪器及检出限

土語口能佳田 新築 1000 坪 1000 坪 1000 坪 1000 坪

[illegible]



报告编号: 武捷检字[2013]第001号



